ADDENDUM A

June 14, 2019

JOINT FORCE HEADQUARTERS PAVER RENOVATION SCO#: 18-18397-01A

- LOCATION: Joint Force Headquarters 1636 Gold Star Drive Raleigh, NC 27607
- OWNER: North Carolina National Guard Construction & Facility Management Office 1636 Gold Star Drive Raleigh, NC 27607
- ARCHITECT: Smith Sinnett Architecture, P.A. 4600 Lake Boone Trail, Suite 205 Raleigh, NC 27607 Phone: (919) 781-8582 Fax: (919) 781-3979
- BIDS DUE: Thursday June 27, 2019 @ 3:00pm North Carolina National Guard Joint Force Headquarters Cafeteria 1636 Gold Star Drive Raleigh, NC 27607

<u>Please note, Project Addendums and Bidders List are available at www.smithsinnett.com under the</u> <u>"Documents" icon on the navigation bar.</u>

Among other items, this Addendum addresses issues raised in the Pre-Bid Conference held on June 12th at 10:00 a.m. Pre-Bid notes and sign in sheet of those that attended are attached.

This Addendum, applicable to the work designed below, shall be understood to be and is an addendum and shall be part of and included in the contract for the above referenced project. All General, Supplementary and Special Conditions, etc., as originally specified or as modified below shall apply to these items.

Architectural – General

- 1. <u>GENERAL:</u> An Open Meeting was held to discuss Owner Preferred Manufacturers listed in the project. The reason given for the Owner Preferred Manufacturers was for continuity, connectivity and maintenance with the Owner's existing systems. No objection was noted, and the meeting closed.
- 2. <u>**GENERAL:**</u> A second walk through of the building is scheduled for Tuesday 6/18 from 10:00am-11:00am. This will be the only time the interior of the building will be open and available.
- 3. GENERAL: All pavers cut down are to be a minimum of 0'-6".
- <u>REVISION</u>: The below is an Alternate Summary to assist Contractors in bidding this project. This Summary shall stand for a <u>general scoping</u> of work regardless of anything else noted in the drawings and specifications.
 - Base Bid Scope of work includes the replacement of the pavers at the Front Entrance Area with a new "lock down" paver and pedestal system. Insulation in that area shall be replaced with new insulation as specified. New ice metal system to be installed as specified. The pavers outside the Cafeteria Area shall be removed to allow for the new waterlines to be installed. The insulation in this cafeteria area shall be replaced as part of the base bid with new insulation as specified. The existing pavers shall be installed back on a new pedestal system as specified.
 - Alternate 1 Remove the existing pavers in the Staff Area. Install a new ice metal system in this area. Remove existing insulation and install new insulation as specified. Reinstall the existing pavers on a new pedestal system as specified.
 - Alternate 2 Remove existing pavers and install a new "lock down" paver and pedestal system in the Staff Area as specified. Note, Alternate 2 will not be accepted if Alternate 1 is not accepted.
 - Alternate 3 Remove existing pavers and install a new "lock down" paver and pedestal system in the Staff Area as specified.
 - Alternate 4 No Change or Update.

Architectural – Drawings

1. **<u>REVISION</u>**: Sheet A5-01: Drawing 4/A5-01 NEW ENCLOSURE SECTION DETAIL, Revised to show section cut referencing 7/A5-01.

End of Addendum A

Attached:

Pre-Bid Conference Agenda	4 pages
Pre-Bid Sign In Sheet	1 page
Pre-Bid Meeting Minutes	2 pages
Drawing Sheet A5-01	1 page

June 12, 2019 at 10:00 a.m.

JOINT FORCE HEADQUARTERS PAVER REPLACEMENT

- Location: Joint Force Headquarters 1636 Gold Star Drive Raleigh, NC 27607
- Owner: North Carolina National Guard Construction & Facility Management Office 1636 Gold Star Drive Raleigh, NC 27607
- Architect: Smith Sinnett Architecture, P.A. 4600 Lake Boone Trail, Suite 205 Raleigh, NC 27607 Phone: (919) 781-8582

Robert Carmac, AIA - Project Architect

On behalf of the Owner and Smith Sinnett Architecture, we would like to thank you for your interest and attendance at this Pre-Bid Conference.

I Bid:

Sealed Bids from Single Prime Contractors will be received and publicly opened at:

3:00 p.m. on Thursday June 27, 2019 North Carolina National Guard Joint Force Headquarters Cafeteria 1636 Gold Star Drive Raleigh, NC 27607

II Bid Day Documents:

- 1. Proposal Form Pages 1 through 6
- 2. Minority Business Participation Form and/or Affidavit
 - a. Identification of HUB Certified / Minority Business Participation Form Required.
 - i. Name on Form must be the exact name as provided to the NC Office for HUB
 - b. Affidavit A or Affidavit B.
- 3. Bid envelope should be sealed with the following information listed on the outside of the envelope.
 - a. Bidder's Name and Address
 - b. North Carolina Contractor's License Number
 - c. Name of Project
- 4. If awarded the Contract, the Bidder must provide an executed Performance Bond and Payment Bond for 100% of the Contract by a company licensed in North Carolina.
 - a. 2 separate Bonds must be provided.
- 5. Certificates of Insurance meeting the requirements indicated in the Specifications will also be required. Refer to Article 34 of the General Conditions. 30 days notification by certified mail return receipt requested of any (including nonpayment of premium) cancellation, reduction or elimination of the required policies.
- 6. Any bids that have qualifying notes or comments will be rejected.

Bid Opening:

Ш

1. For mailed bids:



- a. It's the contractor's responsibility to ensure the bid arrives prior to the bid opening time. If you wish to send your bid via US Mail, FedEx or UPS, please allow several days for delivery since the bid must be received (NOT postmarked) by the date and time stated in the solicitation.
- b. Place the bid in a double envelope with "Sealed Bid Do Not Open" written on the envelope.
- c. Sealed envelope will be held and unsealed at the bid opening time.
- d. Project Name must be clearly marked on the outside of the sealed envelope.
- 2. For delivered bids:
 - a. The bid opening location is at Joint Force Headquarters Cafeteria, 1636 Gold Star Drive, Raleigh, NC 27607
 - b. Plan to arrive min. 30 minutes in advance of the bid opening to allow time to process through the security gate, park and then gain access to the building.
 - c. The notice on page 3 of the NOTICE TO BIDDERS along with picture identification is required to enter the security gate. Notify the guard at the gate that you are here for the JOINT FORCE HEADQUARTERS PAVER REPLACEMENT bid opening with Project Manager Chris Tartaglia.
 - d. On arrival in the lobby, check in with the front desk and then meet in the cafeteria.
 - e. Note the gate guard nor the reception desk WILL NOT be allowed to accept packages of any kind.
 - f. Point of contact: for questions regarding this project or the procedures described above is Chris Tartaglia (984) 664-6692
- IV Schedule:

1.

- 1. No bid may be withdrawn after the scheduled closing time for the receipt of bids for a period of 60 days.
- 2. Supplementary General Conditions:
 - a. Date of substantial completion: **120 consecutive calendar days** from anticipated Notice to Proceed.
- V Liquidated Damages:
 - Supplementary General Conditions:
 - a. **\$250.00 each calendar day** in excess of the stated completion time.
- VI Examination of Bid Documents:
 - All Bidders are expected to fully examine and familiarize themselves with the Drawings, Specifications and Existing Conditions. All Bidders should read the scopes of the bid package. Any questions or clarifications should be directed to the Architect. No allowances will be made after the bids are received for any oversight due to failure to examine the documents.
- VII Substitutions:
 - 1. Substitutions or approvals of "Equals" will only be accepted if approved by the Architect in writing at least 10 days prior to the receipt of bids.
- VIII Technical Questions:
 - 1. Technical questions shall be submitted to Architect as soon as possible by email or phone.



June 12, 2019 at 10:00 a.m.

(919) 781-8582	
Last day for Questions will be Tuesday June 18, at 5pm.	
The Last Addendum will be issued Wednesday June 19; by 12pm.	

IX Construction Documents:

- 1. Electronic Copies of the Plans and Specifications are available upon request and with a completed Plan Request Form found at <u>www.smithsinnett.com</u> under the Documents Tab.
- 2. Construction Documents may be ordered from: Smith Sinnett Architecture 4600 Lake Boone Trail, Suite 205 Raleigh, NC 27607 919-781-8582

rcarmac@smithsinnett.com

X Addenda:

- 1. Addenda will be emailed to everyone on the Architect's plan holders list that has requested access to the Construction Documents
- 2. Addenda can also be downloaded from: www.smithsinnett.com under the Documents Tab.
- 3. An addenda will be issued to address any questions raised today.
- 4. All Addendums will be issued by email. Verify that email security will allow emails from <u>rcarmac@smithsinnett.com</u> and <u>lbyrd@smithsinnett.com</u>.
- XI Bidders List:
 - 1. Bidders List can be downloaded from <u>www.smithsinnett.com</u> under the Documents Tab.
- XII Owner Related Items:
 - 1. Specification Section 024119 Selective Structural Demolition
 - a. Existing Items to Be Removed by Contractor and Returned to Owner.
 - i. None
 - b. Existing Items to Be Removed and Reinstalled:
 - i. Existing Pavers in areas indicated for Alternate 1, Alternate 2 and Alternate 3. If Alternate 2 and/or Alternate 3 are accepted, the existing Pavers for that area shall be demolished.
 - 2. Fire Alarm protection and masking is responsibility of Contractor.
 - 3. Professional training video for any owner training.
 - 4. Contractor to maintain gas, water, sewer, and power to building. Contractor to provide a 30 day notice prior to loss of any services.

XIII Project Specifics:

- 1. Base Bid General Scope
- 2. Alternates:
 - a. Alt. 1 Additional Hot Water Piping Staff Area
 - b. Alt. 2 Locking Pavers Staff Area
 - c. Alt. 3 Locking Pavers Cafeteria Area
 - d. Alt. 4 Owner Preferred Manufacturer
- 3. Allowances:
 - a. Allowance No. UP/A-1 Reglet Repair
 - i. Quantity: 250 linear feet
 - b. Allowance No. UP/A-2 Waterproof Membrane Repair
 - i. Quantity: 1,250 sqft
- 4. Unit Prices



June 12, 2019 at 10:00 a.m.

- a. Unit Price No. UP/A-1 Reglet Repair
 - i. Quantity: 250 linear feet
- b. Unit Price No. UP/A-2 Waterproof Membrane Repair i. Quantity: 1,250 sqft
- XIV Open Meeting for Preferred Alternates:
 - 1. Owner Preferred Manufacturer:
 - a. Unit Masonry Palmetto Brick: Chocolate Wire Cut
- XV Description of Project Scope:
 - 1. The existing roof system is to be removed down to the protection board. New roof insulation, insulated water lines, and pavers to be installed per the specifications in respective areas.



NCNG Joint Force Headquarters Paver Replacement

Pre-Bid Meeting - Sign In Please write legibly

Date: June 12, 2019

smith sinnett

Smith Sinnett Architecture, P.A. Name Company Email address Phone Number 914-404-8330 ALL Muter Const IM Building hids a Muter caustrichan. com jkepley Dhmkern.com ASON KEPLEY Itm KERN 336-668.3213 MM Kezn Kepley OHmkrn. con DEAN DALY 336-668-3212 Resoluti SVILLA Buldun Co estimating @ vesolutring, con 111.933-1000 919-468-910 Fred Adams Party marke . P.Man 1rK tredalams paulies co PESIGN BUILDERS CNÉWSOME ? DEW BENRY. COM CHARLE DRUDRLAY 919-291-6052 MILNE ROMED GHEST Emilnela tomcoquect.com 79.683.1701 STEVE CAMPBELL PRC SCAMPBELL P. POCENCINEOS. 919-790-9989 SSA CFMO Rubyn. s. bryait. mil prail mil 984-664-6116 @mail.mil Man 984664 6692 FMO tartaplia. mil Rober SSA mag



PREBID MEETING REPORT

Date: June 13, 2019

To: Chris Tartaglia, Facility Operations Specialist NCNG Construction and Facility Management Office 1636 Gold Star Drive Raleigh, NC 27607

From: Leanne Byrd

RE: NCNG JOINT FORCE HEADQUARTERS PAVER RENOVATION 2018005

Proj. #:

Location:	Joint Ford	e HQ Cafeteria	Meeting Date:	06/12/2019	
	1636 Gold Star Drive		Meeting Time:	: 10:00am>	
Raleigh, N		NC 27607	Weather:	Cloudy	
			Temperature:	J	
Attendees/Visitors:		Chris Tartaglia North	Carolina National Guard	(NCNG)	
		Robyn Bryant NCNG			
		Robert Carmac Smith Sinnett Architecture (SSA)			
		Leanne Byrd SSA			
		Steve Campbell PDC Engineers			
		Charlie Newsome Dewberry Design Builders			
		Mark Tiernan Fred Adams Paving			
Jason Kepley HM Kern Sean Daly HM Kern					
		Tim Hall Muter Construction			
		Bryan Adams Resolute Building Company			
		Brad Milne Romeo Gu			

Meeting Notes:

1. Comments:

- 1.1. This pre-bid meeting is not mandatory. It is intended to be an informative discussion of scope and an opportunity for bidders to ask questions about the project.
- An open site visit is scheduled for Tuesday the 18th at 10:00am. 1.2.

2. Meeting Minutes:

- 2.1. The phasing drawings are a suggestion but are flexible to change. Emergency egress must be maintained as shown in the drawings.
- 2.2. The site requires a government issued ID, such as a driver's license, to enter. The site can be accessed all day any day (24/7).
- There is a clause for a potential Stop Work Order due to weather. The Joint Force HQ is used by the 2.3. state in the event of emergencies. This project is going to overlap with hurricane season. In the event that NC has a disastrous event and the state or FEMA occupies the site, a Stop Work Order will be issued for no longer than 14 days and the time will be compensated with an equal extension at the end of the project.
- 2.4. Machines cannot be driven on the green roof. It cannot support the weight of machines.
- New pavers used are to be a complete warrantied system. 2.5.
- 2.6. All pavers cut down are to be a minimum of 6".
- 2.7. Liability for the roof will not be transferred to the GC on this project.



- 2.8. The list from PDC of companies know to work with the hot water system as specified
 - 2.8.1. Hockaday
 - **2.8.2.** Dail
 - **2.8.3.** Alred
 - **2.8.4.** Comfort
 - 2.8.5. SPC

END OF REPORT:

CC: All Attendees Attachments: 0 pages following CONTINUOUS HOT DIPPED GALVANIZED 1.5X4X1/4 BENT PLATE ON ALL 4 SIDES, MITRE CUT ANGLES AND WELD WITH 1/4" WELD ALL-AROUND AT CORNERS. ANCHOR INTO TOP OF BRICK WITH 1/2" DIA. X 2" EMBED HOT DIPPED GALVANIZED SCREW ANCHORS AT 16" O.C. CONTRACTOR FIELD MEASURE DIMENSIONS AND SHOP FABRICATE ENTIRE ASSEMBLY.

CONTINUOUS HOT DIPPED GALVANIZED L4X4X5/16 ON ALL 3 SIDES, MITRE CUT ANGLES AND WELD WITH 1/4" WELD ALL-AROUND AT CORNERS. ANCHOR LINTEL TO EXISTING CONCRETE CURB WITH 5/8" DIA. X 5" EMBED SCREW ANCHORS (HOT DIPPED GALVANIZED) AT 2" FROM ENDS AND 16" O.C. CONTRACTOR FIELD MEASURE DIMENSIONS AND SHOP FABRICATE ENTIRE ASSEMBLY. HEIGHT TO MATCH EXISTING BRICK COURSING.

> NEW PAVER SYSTEM AS SPECIFIED

NEW HOT WATER SYSTEM, REF PLUMBING

NEW RIGID INSULATION -


EXISTING WATERPROOFING AND PROTECTION BOARD TO REMAIN

NEW ENCLOSURE CROSSSECTION DETAIL 7 A5-01 1 1/2" = 1'-0"

CONTINUOUS HOT DIPPED GALVANIZED 1.5X4X1/4 BENT PLATE ON ALL 4 SIDES, MITRE CUT ANGLES AND WELD WITH 1/4" WELD ALL-AROUND AT CORNERS. ANCHOR INTO TOP OF BRICK WITH 1/2" DIA. X 2" EMBED HOT DIPPED GALVANIZED SCREW ANCHORS AT 16" O.C. CONTRACTOR FIELD MEASURE DIMENSIONS AND SHOP FABRICATE ENTIRE ASSEMBLY.

CONTINUOUS HOT DIPPED GALVANIZED L4X4X5/16 ON ALL 3 SIDES, MITRE CUT ANGLES AND WELD WITH 1/4" WELD ALL-AROUND AT CORNERS. ANCHOR LINTEL TO EXISTING CONCRETE CURB WITH 5/8" DIA. X 5" EMBED SCREW ANCHORS (HOT DIPPED GALVANIZED) AT 2" FROM ENDS AND 16" O.C. CONTRACTOR FIELD MEASURE DIMENSIONS AND SHOP FABRICATE ENTIRE ASSEMBLY. HEIGHT TO MATCH EXISTING BRICK COURSING.

NEW 3" INSULATION




MCNICHOLS GW-100-A (1" X 1/8"

BRICK TO MATCH EXISTING AND

MATCH EXISTING COURSING.


TOP COURSE TO BE SOLID.


NEW ENCLOSURE SECTION DETAIL 4 A5-01 1 1/2" = 1'-0"





REGLET REPAIR DETAIL







EXISTING DOOR AND

EXISTING STRUCTURE

smith sinnet ARCHITECTURE

T 919 781 8582 4600 Lake Boone Trail Suite 205 Raleigh, NC 27607 info@smithsinnett.com





A 06/14/2019 ADDENDUM A ID DATE DESCRIPTION DRAWN BY: CHECKED BY: DETAILS

> 06/04/2019 2018005 A5-01

LB

RC